

# Technical Data Sheet

Endless Skies Series

Marseilles Plant



Product Name	Swatch	Size	Standard	Durability Class (Grade)	Dimensional Variation (Type)	Compressive Strength (psi)	24-hr Cold Water Absorption (%)	5-hr Boil Absorption (%)	IRA (g/min per 30in <sup>2</sup> )	Core Volume (%)
Night Smoke		Queen	ASTM C652	SW	HBS	>5,000	<8	<10	<20	<40
		King	ASTM C652	SW	HBS	>5,000	<8	<10	<20	<40
Sunset Sand		Queen	ASTM C652	SW	HBS	>5,000	<8	<10	<20	<40
		King	ASTM C652	SW	HBS	>5,000	<8	<10	<20	<40
Taupe Horizon		Queen	ASTM C652	SW	HBS	>5,000	<8	<10	<20	<40
		King	ASTM C652	SW	HBS	>5,000	<8	<10	<20	<40
Tuscan Sun		Queen	ASTM C652	SW	HBS	>5,000	<8	<10	<20	<40
		King	ASTM C652	SW	HBS	>5,000	<8	<10	<20	<40

This data represents average results. If specific test results are required, sample should be taken from current production lots. U.S. STANDARD TEST METHODS (ASTM C67) ARE USED AS APPLICABLE, UNLESS OTHERWISE NOTED.

Size	Width	Height	Length	Weight	Brick per Cube	Brick per Sq Ft
Queen	3"	2-3/4"	7-5/8"	3.8	520	5.76
King	2-5/8"	2-5/8"	9-5/8"	4.0	488	4.80